INDEX TO VOLUME LV

INDEX TO AUTHORS AND TITLES

Ainsworth, G. C. The pattern of mycological information 65
Backus, M. P. See Novak and Backus 790
Baijal, Usha. See Mehrotra et al. 289
Bandoni, R. J. Dacrymyces ovisporus from British Columbia 360
Barksdale, Alma Whiffen. The role of hormone A during sexual conjugation in Achyla ambisexualis 627
——. The uptake of exogenous hormone A by certain strains of Achyla 164
Barnett, H. L. See Whaley and Barnett 199
Batra, Lekh R. Habitat and nutrition of Dipodascus and Cephaloascus 508
Beneke, Everett S. Calvatia, calvacin and cancer 257
Bohus, G. New suggestions for preparing fleshy fungi for the herbarium 128
Bollenbacher, Katharina, and N. D. Fulton. Myrothecium striatisporum: its occurrence in Arkansas soil and its cellulolytic activity 786
Bracker, Charles E., and Edward E. Butler. The ultrastructure and development of septa in hyphae of Rhizoctonia solani 35
Britton, M. P., and D. P. Rogers. Olpidium brassicae and Polymyxa graminis in roots of creeping bent in golf putting greens 758
Butler, Edward E. See Bracker and Butler 35
Cain, R. F. See Reid and Cain 781
Carmichael, J. W. Dried mold colonies on cellophane 283
Collins, R. P., L. B. Warner, and L. Paige. The tyrosinase activity of Strobilomyces strobilaceus 764
Coy, D. O. See Tuveson and Coy 402
Cummins, George B. Life cycles of southwestern rust fungi 73
——. See Hiratsuka and Cummins 487
Darker, Grant D. A new phragmosporus genus of the Hypodermataceae 812
——. See Pantidou and Darker 415
Dick, Esther A. See Singer et al. 352
Dulaney, Eugene L. Further studies on formation of N-formyl hydroxyaminoacetic acid by Penicillium 211
Dutta, B. G., G. R. Ghosh, G. F. Orr, and H. H. Kuehn. Soil fungi from Orissa (India). II. A new species of Pseudoarachniotus 775
Ellis, J. J. A study of Rhopalomyces elegans in pure culture 183
Embree, Robert W. The status of Gliocephalis 127
Emmons, C. W., and Willard R. Piggott. Eradiction of Histoplasma capsulatum from soil 521
Farr, Marie L. The systematic position of some Dimeriella species and associated fungi on Pinaceae 226
Fergus, Charles L., and Richard D. Schein. Light effects on fruiting of Physarum gyrosum 540
Fidalgo, Oswaldo. Studies on the type species of Hydnopolyporus 713
Fischer, George W. See Hoffmann and Fischer 549, 706

Folkers, K. See Robbins et al. 742
Fulton, N. D. See Bollenbacher and Fulton 786
Gale, P. H. See Robbins et al. 742
Ghosh, G. R. See Dutta et al. 775
Goldstein, Solomon. Studies of a new species of Thraustochytrium that displays light stimulated growth 799
Goos, Roger D. Further observations on soil fungi in Honduras 142
Govindu, H. C. See Narasimhan et al. 30
Hervey, Annette. See Robbins and Hervey 59; see Robbins et al. 742
Hiratsuka, Yasuyuki, and George B. Cummins. Morphology of the spermagonia of the rust fungi 487
Hoffman, C. H. See Robbins et al. 742
Hoffmann, James A., and George W. Fischer. Induced hybridization in graminicolous smut fungi. III. Further studies of Ustilago hordei × U. bullata 549; IV. Ustilago bullata × U. trebouxii 706
Huffman, D. M., and L. S. Olive. A significant morphogenetic variant of Dictyostelium mucoroides 337
Isaacs, Bill F., and V. E. Tyler, Jr. β-amanitin in an Amanita from Oregon 124
Joffe, A. Z. The mycoflora of a continuously cropped soil in Israel with special reference to effects of manuring and fertilizing 271
Joshi, L. M., and M. M. Payak. A Berberis aecidium in Lahaul Valley, western Himalayas 247
Kimbrough, James W. The development of Pleochaeta polychaeta (Erysiphaceae) 608
——, **and Richard P. Korf.** Nomenclatural notes. V. Uncinula polychaeta and the genera Pleochaeta and Uncinulopsis 619
Koniuszy, F. R. See Robbins et al. 742
Korf, Richard P. See Kimbrough and Korf 619
Kramer, C. L., S. M. Pady, and B. J. Wiley. Kansas aeromycology XIII: diurnal studies 1959–60 380
Kuehn, H. H. See Dutta et al. 775
Lampky, James R., and John E. Peterson. Pisolithus tinctorius associated with pines in Missouri 675
Leach, Charles M. The qualitative and quantitative relationship of monochromatic radiation to sexual and asexual reproduction of Pleospora herbarum 151
Lowe, Josiah L. A synopsis of Poria and similar fungi from the tropical regions of the world 453
——. The Polyporaceae of the world 1
Luttrell, E. S. Taxonomic criteria in Helminthosporium 643
Maciejowska, Zofia, and E. B. Williams. Studies on a multiloculate species of Preussia 300
——, **and** ——. Studies on morphological forms of Staphylotrichum coccosporum 221
Martin, G. W. A new name in Trichia 131
Mehrotra, B. R. See Mehrotra et al. 289
Mehrotra, B. S., and M. D. Mehrotra. A morphological and physiological study of Gilbertella in India 582
——, **Usha Baijal, and B. R. Mehrotra.** Two new species of Mortierella from India 289

Mehrotra, M. D. See Mehrotra and Mehrotra 582
Miller, Charles E. A fungivorous ciliate 361
Moore, Royall T. Fine structure of mycota 10. Thallus formation in Puccinia podophylli aecia 633
Moscatelli, E. A. See Robbins et al. 742
Narasimhan, M. J., M. J. Thirumalachar, M. C. Srinivasan, and H. C. Govindu. Georgefischeria, a new genus of the Ustilaginales 30
Nelson, R. R. Interspecific hybridization in the fungi 104
Novak, R. O., and M. P. Backus. A new species of Mycotypha with a zygosporic stage 790
Olive, Lindsay S. Genetics of homothallic fungi 93
——. See Huffman and Olive 337
Orr, G. F. See Dutta et al. 775
Pady, S. M. See Kramer et al. 380
Page, A. C., Jr. See Robbins et al. 742
Paige, L. See Collins et al. 764
Pantidou, Maria E., and G. D. Darker. The species of Didymascella on Juniperus 415
Parmelee, J. A. Puccinia phragmitis in Canada 133
Payak, M. M. See Joshi and Payak 247
Petersen, Ronald H. Aquatic Hyphomycetes from North America. II. Aleuriosporae (Part 2), and Blastosporae 18; III. Phialosporae and miscellaneous species 570
Peterson, John E. See Lampky and Peterson 675
Piggott, Willard R. See Emmons and Piggott 521
Raper, John R. Patterns of sexuality in fungi 79
Reid, James, and R. F. Cain. A new genus of the Hemiphacidiaceae 781
Robbins, William J., and Annette Hervey. Unidentified filtrate growth substances for several fungi 59
——, **and** ——, **and A. C. Page, Jr., P. H. Gale, C. H. Hoffman, E. A. Moscatelli, F. R. Koniuszy, M. C. Smith, and K. Folkers.** Growth factors for Polyporus schweinitzii. The identification of ferulic acid as a new cofactor 742
Rogers, D. P. See Britton and Rogers 758
Rogers, Jack D. Pleospora associated with Hypoxylon pruinatum 681
Safeeulla, K. M., M. J. Thirumalachar, and C. G. Shaw. Gametogenesis and oospore formation in Sclerophthora cryophila on Digitaria marginata 819
Sandhu, Dhanwant K., and R. S. Sandhu. A new variety of Aspergillus nidulans 297
Sandhu, R. S. See Sandhu and Sandhu 297
Savile, D. B. O. and Harold A. Savile. A rigid swinging-arm stand for the dissecting microscope 678
Savile, Harold A. See Savile and Savile 678
Schein, Richard D. See Fergus and Schein 540
Sguros, Peter L., and Jacqueline Simms. Role of marine fungi in the biochemistry of the oceans. II. Effect of glucose, inorganic nitrogen, and tris(hydroxymethyl)aminomethane on growth and pH changes in synthetic media 728
Shaw, C. G. See Safeeulla et al. 819

Simms, Jacqueline. See Sguros and Simms 728
Singer, Rolf. The delimitation of the genus Pseudobaeospora 13
——. The Herpell method of preparing fleshy fungi 683
——, **Walter H. Snell, and Esther A. Dick.** The genus Fuscoboletinus 352
Slifkin, Miriam K. Parasitism of Olpidiopsis incrassata on members of the Saprolegniaceae. II. Effect of pH and host nutrition 172
Smith, Alexander H. New astrogastraceous fungi from the Pacific Northwest 421
——. See Tyler and Smith 358
Smith, M. C. See Robbins et al. 742
Snell, Walter H. See Singer et al. 352
Sreeramulu, T. Observations on the periodicity in the air-borne spores of Ganoderma applanatum 371
Srinivasan, M. C. See Narasimhan et al. 30
Sukapure, R. S., and M. J. Thirumalachar. Studies on Cephalosporium species from India—I 563
Tewari, V. P. Morphology and physiology of a new species of Lambertella on Coptis trifolia 595
Thirumalachar, M. J. See Narasimhan et al. 30; see Saifeulla et al. 819; see Sukapure and Thirumalachar 563
Tuveson, R. W., and D. O. Coy. Hyphal tip isolations as a criterion for heterocaryosis in Cephalosporium mycophilum 402
Tyler, V. E., Jr. See Isaacs and Tyler 124
——, **and Alexander H. Smith.** Chromatographic detection of amanita toxins in Galerina venenata 358
Ullstrup, A. J. A note on the geographic distribution of Rhizoctonia zeae 682
Waddell, Henry T., and George F. Weber. Physiology and pathology of Septoria species on Chrysanthemum 442
Warner, L. B. See Collins et al. 764
Weber, George F. See Waddell and Weber 442
Wehmeyer, L. E. Some Himalayan Ascomycetes of the Punjab and Kashmir 309
Weltzien, H. C., and C. E. Yarwood. The conidial stage of Uncinula necator 342
Whaley, Julian W., and H. L. Barnett. Parasitism and nutrition of Gonatobotrys simplex 199
Wiley, B. J. See Kramer et al. 380
Williams, E. B. See Maciejowska and Williams 221, 300
Yarwood, C. E. See Weltzien and Yarwood 342

INDEX TO BIOGRAPHIES, REVIEWS, AND NOTICES

Alexopoulos, Constantine J. Introductory mycology; review 254
——, **and E. S. Beneke.** Laboratory manual for introductory mycology; review 255
Ames, L. A. A monograph of the Chaetomiaceae; review 686
Blum, Jean. Les Bolets. Descriptions. Déterminations. Classification. Comestibilité; review 825
——. Les Russules: Flore monographique des Russules de la France et des pays voisins; review 530

Burgeff, H. Mikrobiologie des Hochmoores; review 828
Cunningham, G. H. The Thelephoraceae of Australia and New Zealand; review 824
Greene, H. C. James G. Dickson 1891–1962; biography 537
Haskins, R. H. G. Aleck Ledingham (1903–1962); biography 365
Hassebrauk, Kurt, Emil Niemann, Gerhard Schuhmann, and Herbert Zycha. Basidiomycetes; review 689
Heim, Roger. Les champignons toxiques et hallucinogènes; review 688
Hesler, L. R., and Alexander H. Smith. North American species of Hygrophorus; review 532
Lamb, I. Mackenzie. Index nominum lichenum, inter annos 1932 et 1960 divulgatorum; review 686
McKenny, Margaret. The savory wild mushroom; review 253
Morton, F. J., and G. Smith. The genera Scopulariopsis Bainier, Microascus Zukal, and Doratomyces Corda; review 690
Müller, Emil, and J. A. von Arx. Die Gattungen der didymosporen Pyrenomyceten; review 251
Nutman, P. S., and Barbara Mosse. Symbiotic associations; review 826
Pratt, S., and V. Rypacek. Studies about humus; review 829
Quélet, Lucien. Flore mycologique de la France et les pays limotrophes; review 534
Schaede, R. Die pflanzlichen symbiosen; review 829
Siegel, S. M. The plant cell wall; review 685
Singer, Rolf. Keys for the determination of the Agaricales; review 251
——. Mushrooms and truffles; review 528
——. The Agaricales in modern taxonomy; review 691
Tarr, S. A. J. Diseases of Sorghum, sudan grass and broom corn; review 534
Thind, K. S. The Clavariaceae of India; review 531
Weber, George F. George Dewey Ruehle, 1898–1962; biography 699
Zogg, Hans. Die Hysteriaceae s. str. und Lophiaceae unter Besonder Berüchsichtigung der Mitteleuropaischen Formen; review 529

INDEX TO TAXA

New taxa and the pages where they are published are in **bold-face type.** An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text.

Abortiporus 713; fimbriatus 715
Absidia blakesleeanus 289; butleri 289; cylindrospora 591; var. rhizomorpha 144; lichtheimii 273, 274
Achlya 81, 83, 164–171; ambisexualis 164, 169, 627–632; americana 164; bisexualis 627–631; conspicua 164
Achrotelium lucumae 495
Acrosporium 621
Adelopus 232, 240; nudus 240
Aecidium 247–250, 487; acalyphae 76; anthericicola 78; bouvardiae 76; mexicanum 77; montanum 249; polygoni-convolvuli 140; rubellum 140; talini 77
Alatospora 578; acuminata 571, 578
Albugo 821–823
Allomyces 94; arbuscula 94, 114; javanicus 94, 114
Alternaria 286, 382, 387–398; brassicae 202; chrysanthemi 152; citri 563; cucumerina 200; geophila 276; grisea 276; humicola 276, 278; solani 152, 200, 202; tenuis 144, 152, 200–202, 276, 278; zinniae 152
Amanita stirps Phalloides 359; brunnescens 124–126; calyptrata 126; phalloides 124–126, 358; tenuifolia 358; verna 358

Anguillospora 570; longissima 23; pseudolongissima 668
Ankistrocladium 18; fuscum 19
Apiosporina 239, 240; collinsii 239; harunganae 239, 240; morbosa 239
Apiosporium 240, 241; abietis 241, 242
Aporpium caryae 4, 476
Arcangeliella crassa 423; **tenax 422**, 423
Arthrobotrys 183; musiformis 205
Arthuria 500; catenulata 491, 495
Articulospora angulata 579
Ascobolus magnificus 82, 84; stercorarius 84
Ascochyta 397; pisi 151, 152, 158, 160
Ascocybe 508; grovesii 508, 511
Ascoidea 508
Ascosphaera 81
Ashbya 508
Aspergillus 97, 127, 279, 280, 395–399; amstelodami 274, 277; candidus 274, 277; chevalieri 274; clavatus 543; fischeri 144; flavipes 144, 148, 274; flavus 144, 274; fumigatus 274; melleus 274, 277; nidulans 95, 96, 274, 297–299; var. **dentatus 297**–299; niger 144, 274, 277; niveus 274, 277; repens 274; restrictus 144; sulphureus 274; terreus 148, 274, 277; ustus 274, 277; versicolor 144, 274, 277; wentii 274, 277
Asterina 239–243; balsamicola 240; nuda 226, 227, 240
Asterocystis radicis 762
Atichia glomerulosa 241, 242
Auricularia auricularis 51–55, 265

Bactrodesmium 664
Baeodromus 493, 498; eupatorii 495
Beauveria 397
Beccaria caespitosa 714, 716
Beccariella caespitosa 716, 719, 723
Bifusella vaccinii 812–816
Bifusepta 816; tehonii 814–**816**
Blakeslea 592; trispora 591
Blastocladiella emersonii 809
Boletinus sect. Spectabiles 354–356; asiaticus 352, 353; cavipes 352, 353; decipiens 355; elegans 352; glandulosus 354; grisellus 352, 355; ochraceoroseus 352–355; paluster 352; spectabilis 352–355
Boletus 258, 259; edulis 257, 258; fimbriatus 715; luridus 764; pavonius 714; strobilaceus 764; viscidus 352
Botryodiplodia theobromae 144, 148
Botryosphaeria 327
Botryotinia 597, 601
Botryotrichum 286; atrogriseum 276, 278; piluliferum 276
Botrytis 275, 398; cinerea 275
Bovista 259
Bovistella 259
Brachysporium 665

Calcarisporium 397; parasiticum 180, 199, 204, 208
Calvatia 257–270; bovista 258; caelata 267; craniformis 258; cyathiformis 258; gigantea 258–268; saccata 259, 260, 267
Camptomeris albizziae 665
Campylospora 18; chaetocladia 18, 19
Casaresia 18; sphagnorum 19, 20
Cephaloascus 508–520; fragrans 508–519
Cephalosporium 144, 148, 397, 398, 563–569; acremonium 275, 278, 563; var. majus 563; **chrysogenum** 564, **565**; curtipes 275; eichorniae 563; fici 563; humicola 275; **incarnatum 566**–569; var. **macrosporum** 567–**568**–569; infestans 563; lecanii 563; madurae 563; **minutisporum** 564, **566**; mycophilum 402–414; recifei 566; roseogriseum 563, 568; zonatum 563
Ceratocystis 199
Ceratophorum 664, 668; epiphyllum 668
Ceratosporella bicornis 665
Cercospora 662, 666, 671
Cercosporidium 398
Cerotelium dicentrae 495
Chaconia ingae 495
Chaetoceratostoma longirostre 143, 144
Chaetomium 144, 397; globosum 275; murorum 275, 278; piluliferum 223; spirale 275, 278; succineum 275, 278
Chaetosphaeria **dickasonii 314**, 315
Chardoniella 498; gynoxidis 495
Chloridium 397
Choanephora circinans 591; conjuncta 591; cucurbitarum 189, 591, 592; infundibulifera 591; persicaria 582
Chrysocelis lupini 495
Chrysocyclus 498; cestri 495
Chrysomyxa 488, 498; arctostaphyli 488, 489, 495; cassandrae 495; empetri 495; ledi 495; ledicola 495
Chrysopsora 498; gynoxidis 495
Ciborinia 601
Cicinnobolus cesatii 615
Cionothrix 498; jacksoniae 495; praelonga 495
Circinella 398; linderi 289; spinosa 273, 274
Cladosporium 144, 202, 203, 239, 381–398; epiphyllum 276, 278; herbarum 276, 278; linicola 276, 278
Clasterosporium 664, 668
Clathrospora 309, 310; bakeri 316; heterospora var. heterospora 316
Clavaria 9
Clavariopsis 21; aquatica 19–22, 25; brachycladia 21, 22

Clithris vaccinii 813
Clypeolella 243
Coccidioides immitis 639
Coccodothis sphaeroidea 415
Cochliobolus 115, 117; miyabeanus 666; sativus 539
Coemansia 196
Coleosporium 493, 501; jonesii 493, 495; reichei 73; vernoniae 495; viguierae 73
Colletotrichum 397
Collybia syringea 16; velutipes 85
Coniothyrium 275, 323, 397
Coprinus 35, 54, 397; fimetarius 85; lagopus 85
Coriolus occidentalis 458
Corynespora 667, 668, 671; cassiicola 653–669; olivacea 643, 659–671; pruni 664
Cotylidia aurantiaca 716; decolorans 716
Craterellus sparassoides 714, 716, 725
Cronartium 493, 495, 501; occidentale 496; ribicola 493, 496
Crossopsora 500, 501; sawadae 496
Culcitalna achraspora 729–738
Culicidospora 23; aquatica 19, 23; **gravida** 23–**24**–25
Cumminsiella 498; mirabilissima 496
Cunninghamella bainieri 274, 277; bertholletiae 274; echinulata 591; elegans 144
Curvularia 397; pallescens 143, 144
Cylindrocarpon 144; curvatum 276, 278; janthothele 276, 278
Cylindrocephalum 144
Cylindrosporium 398
Cystomyces 500, 503; costaricensis 491, 496

Dacrymyces 265; deliquescens var. minor 265; dictyosporus 360; ovisporus 360, 361
Dactylella 18
Dasturella 502, 503; divina 496
Dasyspora 500; gregaria 491, 496
Deightoniella arundinacea 669
Dekkeromyces 112, 113
Delitschia 398
Diabole 500, 503; cubensis 496
Diatractium 815
Dicheirinia 500–505; superba 496
Dichosporium 815
Dictyostelium discoideum 337; giganteum 340; minutum 340; mucoroides 337–341; polycephalum 339, 340; purpureum 340
Dictyuchus 82; monosporus 81
Didymascella 415–420; oxycedri 415–419; **tetramicrospora** 416–**417**–419; tetraspora 415–419
Didymella 325
Didymopsora 498; africana 496; solaniargentii 496
Didymopsorella 500; lemanensis 496, 500
Didymosphaeria elburnensis 315, 316; larsenii 317; **punjabensis** 315, **317**; sadasivanii 315, 317
Dimargaris 196
Dimeriella 226–246; balsamicola 226–242; pseudotsugae 226–244; terrieri 226–244; tsugae 226–244
Dimerium 227
Dimerosporium abietis 226–244; balsamicolum 240; tsugae 226–229, 240
Diorchidium 500, 503; piptadeniae 496
Dipascomyces acuminosporus 143, 144
Diplococcum resinae 241
Diplodia 398
Diplorhinotrichum 665
Dipodascus 508–520; albidus 508–518; aggregatus 508–518; uninucleatus 508–518
Dispira cornuta 172
Duplicaria 815

Echinodea 480
Eidamella deflexa 274, 277
Elasmomyces 432; russuloides 432
Emericellopsis 97; humicola 143, 144; salmosynnemata 563
Endogone 196
Endomyces 508
Endomycopsis 508; fasciculata 510, 517
Endophragmia 664
Endophyllum 498; sempervivi 496
Englerulaster 243
Entyloma 33, 539; convolvuli 33
Epicoccum 397, 398; nigrum 144
Erysiphe graminis 314; polychaeta 619–624; polygoni 345, 347, 349
Eurotium chevalierii 314; var. multiascosporus 314
Exosporium 671; tiliae 643, 659–665, 671

Flagellospora 570; curvula 570–573; penicillioides 570–573; **prolifera** 570–572
Fomes 8; annosus 510; lividus 464, 474; melanoporus 473; officinalis 2; sanfordii 475; tenuis 471; tropicalis 456; viticola 471; zealandicus 471
Fomite mortuosi 479
Frommea 493, 500, 501; obtusa 496
Fumago 241, 242
Fusariella 398
Fusarium 273, 278–280, 286, 389–403, 577, 578; avenaceum 276; camptoceras 276, 278; culmorum 276; decemcellulare 276, 278; dimerum 276; episphaeria 144; equiseti 276; var. bullatum 276, 278; heterosporum 276,

278; javanicum 276; lateritium 276; merismoides 276; moniliforme 276; oxysporum 276, 278; f. pisi 402; var. redolens 276; reticulatum 276, 278; roseum 144; sambucinum 276; var. minus 276, 278; scirpi 276; var. acuminatum 276, 278; var. caudatum 276, 278; semitectum 276; solani 144, 148, 277; var. minus 277
Fuscoboletinus 352–357; sinuspaulianus 352–356
Fusidium 144, 397

Galerina venenata 358, 359; vexans 359
Ganoderma 371–378, 474; applanatum 371–379
Georgefischeria 30–**33**–34; **riveae** 31–**34**
Geotrichum 397, 510; candidum 144
Gerwasia 500; rubi 491, 496, 500
Gilbertella 582–594; persicaria 582–585; var. **indica 583**–592
Gliocephalis 127, 128; hyalina 127, 128
Gliocladium 127, 144, 275; penicilloides 275; vermoeseni 275
Gliomastix convoluta 144
Gloiothele 481
Glomerella cingulata 80, 101
Gloniella vacciniicola 813
Gloniopsis levantica 812, 813; praelonga 813; vaccinii 812, 813
Gonatobotrys simplex 199–210
Gonatobotryum fuscum 199, 200, 208
Gongronella 289; butleri 144, 289; urceolifera 289
Gonytrichum macrocladum 144
Grammothele 454; ceracea 480; cineracea 477; delicata 477; duportii 476; grisea 477, 478; hydnopora 476, 477; var. bahianensis 477; lineata 477; mappa 477; polygramma 477
Graphium 144, 199
Guignardia 327
Gymnoconia peckiana 488, 496, 500
Gymnosporangium 488, 493, 498, 505; globosum 496
Gymnosporium clavipes 496

Halosphaeria mediosetigera 729–738
Halosphaeriopsis mediosetigera 729
Hamaspora 493, 501; longissima 496
Hansfordia 398
Hansfordiella 665; asterinum 668
Hansenula 113
Hapalophragmiopsis 502
Hapalophragmium 500–503; derridis 496, 502; millettiae 496, 502; mysorense 496, 502; ornatum 496, 502; ponderosum 496, 502; setulosum 496, 502
Haplotrichum elegans 184, 189
Helicostylum piriforme 591
Heliscus 577; aquaticus 577, 578; longibrachiatus 577; lugdunensis 571, 577, 578; stellatus 577; tentaculus 571, 577
Helminthosporium 276, 397, 643–674; subg. Euhelminthosporium 115, 117; avenaceum 647–669; avenae 649; carbonum 116, 117; cyclops 662; maydis 664; oligosporum 660, 661; oryzae 666; sativum 651; sigmoideum 653; sorokinianum 649–670; torulosum 655–670; velutinum 645–669; victoriae 116, 117
Helotium 598
Hendersonia 323, 398; herpotrichus 326
Heteropatella 662
Heteroporus 714; biennis 713, 719
Heterosporium allii 276
Hexagona 465; decipiens 481; pergamena 481
Histoplasma capsulatum 521–527
Hormodendrum 276; cladosporioides 276; hordei 276; nigrescens 276; viride 276
Humicola 398; alopallonella 729–738; brevis 276, 278
Hyalodendron 398
Hyalopsora 488, 498; aspidiotus 489, 496
Hydnellum 437
Hydnopolyporus 713–727; fimbriatus 715; **palmatus 715**–725; f. **capitatus 720**–722; f. **palmatus 719**–724; f. **warmingii 720**–724
Hydnum coralloides 60, 62; multifidum 716; palmatum 713–724; plumarium 714, 716, 725
Hypomyces ipomoeae 143
Hypoxylon pruinatum 681, 682
Hysterium cladophilum 812; vaccinii 812, 813, 816
Hysterographium vaccinii 813
Hysteropezizella hysterioides 313

Irpex 479
Isaria 398

Jaculispora 21; submersa 21
Jamesdicksonia 539

Keithia 417; juniperi 415; tetramicrospora 415, 417; tetraspora 415
Kneiffia grisea 478
Korfia 783; tsugae 782–**784**
Kuehneola 493, 500, 501; uredinis 496
Kunkelia nitens 496

Lactarius piperatus 773
Lambertella 595–607; brunneola 598; **copticola 598**–606; corni-maris 601–603; hicoriae 598
Lasiostemma 240; merrillii 229
Leccinum chromapes 353

Lemonniera 18, 574; aquatica 571–576; brachycladia 574, 576; cornuta 571, 574; **filiforme 574–576**
Lepiota sect. Sericellae 13, 16; sericea 17
Leptosphaeria 309, 310, 329; agminalis 319; baldingerae 324; britzelmayriana 324; castagnei 323; culmicola 321, 322; culmifraga 310, 317, 318, 323; culmorum 318; eustoma 310, 315–324; herpotrichoides 317, 318; heterospora 319; **hollosiana 315, 319,** 323; huthiana 322; iwanatoi 315, 320; jasmini 323; juncina 320; luzulae 315, 317, 320; maritima 315, 319–322; michotii 320; microscopica 318; modesta 310, 321; niessleana 321; nigrans 321, 322; obtusispora 323; ophiogonis 320; oreophila 321; petkovicensis var. **elymi** 315, **322; punjabensis** 316, 322–323; tenera 321, 322; typhae 318, 323; typharum 310, 316, 318, 323; vagans 310; vitalbae 315, 323, 324
Leucoporus warmingii 716
Ligniera 762
Lipocystis 500; caesalpiniae 496
Lophodermium caricinum 313; clado-phílum 814; gramineum 313; vaccinii 812, 813, 816
Lycoperdon 259–261

Macowanites 421, 424; acris 436; agaricinus 435; albidigleba 435, 436; americanus 430–436; **chlorinosmus 423,** 436; citrinus 426, 436; fulvescens 424, 431, 434, 436; fuscoviolaceus 427, 430, 436; krjukowensis 436; **iodiolens 425,** 428, 436; **lilacinus 426,** 427, 436; **luteolus 427,** 436; magnus 436; mollis 436; **nauseosus 428,** 436; **olidus 429,** 436; **pinicola 430,** 431, 436; **pseudoemeticus 431,** 436; setchellianus 432, 433, 436; **subolivaceus 432,** 436; **subrosaceus** 431, **433–435**; **vinicolor 434,** 436
Macrophoma 397
Macrosporium commune 276, 278; tomato 152
Maravalia 498, 501; ascotela 496; elata 496; hyalospora 496
Margaritispora 570; aquatica 570
Martellia alveolata 440; australiensis 440; berkeleyi 440; brunnescens 437, 441; **fragans 437,** 441; **fulvispora 438; subalpina 439,** 440, **subochracea 440**
Martinia 597
Masoniella 397
Massaria inquinans 325
Massarinula **dicksonia 324,** 325
Masseeella 500; narisimhanii 496
Melampsora 498–503; abieti-caprearum 496, 501; albertensis 496, 501; arctica 496, 501; euphorbiae-dulcis 496, 501; lini 488, 496, 501; occidentalis 496, 501; pinitorqua 496, 501
Melampsorella 498; caryophyllacearum 488, 489, 496; cerastii 488
Melampsoridium 498; betulae 496
Melanopsichium 33
Meliola abietis 226, 240–244; balsamicola 226–244
Memnoniella echinata 144
Merisma fimbriatum 715
Microporus fimbriatus 715
Merulius 478–480; pinastri 479; tremellosus 265
Metarrhizium 398; anisopliae 144, 145
Microsphaera 616
Milesia 488, 498; fructuosa 496; laeviuscula 496; polypodophila 496
Miyagia 498; anaphalidis 496
Mortierella 172, 183, 196, 289–296; **ambigua** 290–**291**–292; indica 289; pusilla 273, 274; **vesiculosa** 293–**295**
Monilia 398
Monilinia 597
Monochaetia 398
Monosporella microaquatica 22
Morchella 61–63; esculenta 60, 61
Mucor 172, 183, 398; fragilis 591; griseo-cyanus 274; hiemalis 144, 274; mucedo 274; racemosus 273, 274; ramannianus 591; recurvus 180; vesciculosus 289
Muellerella nigra 307
Mycogone nigra 275
Mycosphaerella 309; tassiana 325, 326; var. arctica 325, 326; var. arthopyrenoides 325
Mycotypha 790–798; **africana** 791–**793**–798; dichotoma 792; microspora 790–797
Myrothecium 144; inundatum 788; roridum 788; striatisporum 786–789; verrucaria 277, 278, 786–788
Mytilidion 314

Naematoloma 431
Naevia piniperda 781
Nectria 574, 577; haematococca 143–145; lugdunensis 577, 578; penicillioides 573
Neurospora 81–84, 93–100, 413, 752; crassa 54, 56, 145; sitophila 114, 115; tetrasperma 84, 114, 115, 144, 145
Nigrospora sphaerica 275
Nothoravenelia 503; commiphorae 503; japonica 503

Ochropsora 493, 500; ariae 496
Oidium 609, 621
Olivea 500; capituliformis 496

Olpidiopsis incrassata 172–182
Olpidium brassicae 758–763
Ophiobolus herpotrichus 326
Ophiostoma multiannulatum 752
Orbimyces spectabilis 729–738
Ovulariopsis 616–625

Paecilomyces 202, 275, 397; varioti 144
Papularia 398
Passalora 665
Pellicularia 144; filamentosa 35, 53
Penicillium 97, 127, 211–220, 259, 275, 279, 280, 395–399, 573; adametzi 274, 277; albicans 144; aurantio-violaceum 211–219; baarnense 274, 278; brevicompactum 274; canescens 274; charlesii 274, 277; chrysogenum 274; citrinum 144, 274, 277; commune 274, 277; crustosum 274, 277; frequentans 211–219, 274; granulatum 274, 277; helicum 274, 278; herquei 274; hirsutum 274, 278; janthinellum 275, 277; jenseni 275; lanosum 275; lapidosum 275, 278; lilacinum 144, 148, 275, 277; luteum 275; martensii 275; melinii 275; nigricans 275; notatum 95, 275; oxalicum 144, 275; purpurogenum 144, 275; restrictum 144, 275; roqueforti 275, 278; rubens 275, 278; rubrum 275; steckii 275, 277; stoloniferum 275; vermiculatum 144; vinaceum 144
Peniophora 62, 480; coccineofulva 60, 62
Periconia 398
Pericystis 81
Peridermium coloradense 488
Perisporium 300; funiculatum 306
Pestalotia 398
Peyreniella festucae 327
Peziza 196
Phacidium abietis 781; balsameae 781, 782; expansum 781; infestans var. abietis 781; tetrasporum 415; tsugae 781–784
Phaeociboria 597
Phaeocryptopus 232, 240; nudus 240
Phaeodimeriella 232, 239, 240
Phaeosclerotinia 597
Phaeoseptoria 398; calamagrostis 319; festucae 318
Phaeosphaerella 317, 325
Phakopsora 500–505; crotonis 489, 496
Phialophora 145
Phoma 145, 275, 397
Phomatospora berkeleyi 326
Phragmidiella 493, 500; africana 496
Phragmidium 493, 500, 501; americanum 496; barnardi 493, 496; horkeliae 496; sanguisorbae 493, 496; speciosum 488
Phragmopyxis 493, 500, 505; acuminata 496
Phycomyces 80
Phyllactinia 616, 617; corylea 621; var. rigida 617; var. subspiralis 617, 621, 625; guttata 621; subspiralis 621–625
Phylloporus 354
Phymatotrichum 398
Physalospora 199; alpestris 316, 327; festucae 327; ilicis 180
Physarum gyrosum 540–548; polycephalum 546
Physoderma 539
Physopella 500–505; hansfordii 496
Physosporella 327
Pileolaria 502; brevipes 496; effusa 496; fusispora 502; incrustans 496
Pilobolus 289; kleinii 193; oedipus 183
Piptocephalis 790; cylindrospora 183; virginiana 172, 199
Piricauda 398
Piricularia 398
Pisolithus tinctorius 675–677
Pithomyces chartarum 145, 146
Pityrosporum ovale 752
Platygloea unispora 361
Platyspora 309; pentamera 310, 328; permunda 310, 328; planispora 329
Plectosphaeria **kobresiae** 316, **329**
Pleochaeta 619–626; curtisii 620–624; lynchii 620–624; **polychaeta** 608–618, **623**; **shiraiana** 609, 616, 617, **624**
Pleospora 309, 329, 681, 682; ambigua 332; var. crandallii 332; androsaces 333; armeriae 307; bromi 152; chlamydospora 310, 331, 333; coloradensis 331; comata 333; curvasca 310, 334; helvetica 332; herbarum 151–163, 309, 329, 330; var. occidentalis 330, 331; jasmini 323; kansensis 334; lactucicola 334; njegusensis 331, 333; pellita 334; phaeocomoides 334; richtophensis 310, 334; scrophulariae 330, 332, 682; var. compositarum 330; var. spinosella 681; tragacanthae 332, 333; twogotiensis 334
Pleurage 275
Pleuroceras 815
Pleurotus ostreatus 85
Plicaria fulva 791
Podoscypha decolorans 716
Podospora anserina 84
Podosporiella 671; verticillata 662
Podosporium 671
Polioma nivea 496; unilateralis 496
Polycladium equiseti 579
Polymyxa graminis 365, 758–763
Polyporus 266, 479, 480; betulinus 265; büttneri 478; calceus 477; crassitatus 718; fimbriatus 713–725; isabellinus 471; licnoides 472; lignosus 479; niger 478; palustris 9; perennis 715; schweinitzii 59, 60, 742–757; scleromyces 478; sparassoides 718; trabeus

5; versatilis 479, 480; warmingii 714–725; xylostromatoides 476; zonalis 456
Polystictus fimbriatus 715, 724, 725; multifidus 716; peradiniae 479; versicolor 41; warmingii 716, 724
Polysphondylium violaceum 337–340
Polythrincium trifolii 663, 665
Poria 4, 453–486 (see also Index to Species, p. 483–485); ambigua 744; healeyi 7; mutans 6; warmingii 716, 724
Porogramme 479; **calcicolor 477**; camptogramme 478; **delicatula 476**; duportii 476; fuligo 478; glauca 478; graphica 477; lateritia 478; ravenalae 478; richeriae 477
Porotheleum 454, 475; fimbriatum 476, 478; leucobombycinum 476; poriaeforme 476; revivescens 476
Preussia 300–308; dispersa 145, 146; funiculata 306; **multilocularis** 302–**303**–306; nigra 307; terricola 301
Prospodium 493, 497–505; amphilophii 496; appendiculatum 489, 496; arrabidaeae 496; cumminsii 496; permagnum 496; transformans 496
Prunulus syringeus 16
Psalliota campestris 773; maskae 130
Pseudoarachniotus 775–780; citrinus 778; **echinulatus 775**–779; hyalinosporus 778; minutospora 779; reticulatus 778, 779; roseus 778
Pseudobaeospora 13–17; **defibulata** 13–16; oligophylla 13, 16; **syringea** 14–**15**–16
Pseudophacidium ledi 813
Pseudoplea 398
Puccinia 354, 493, 497–505; abrupta 73; andropogonis 74; arayatensis 502; aristidae 74; baphiae 496, 502; brachypodii 249; carnegiana 74; chloridicola 76; chloridis 77; conoclinii 75; conspicua 75; coronata 496; dietelii 75–77; diplachnis 76, 77; eatoniae 496; globosipes 496; graminis 487, 496, 502; var. agropyri 249; var. tritici 247–249; helianthi 487, 496; leptochloae 77, 496; magnusiana 133, 140; menthae 496; nephroidea 502; nodosa 75; ostryoderridis 497, 502; periodica 502; phragmitis 133–141, 497; poae-nemoralis 248, 249; podophylli 633–642; pygmaea 248, 249; recondita 497; rubella 133; schedonnardi 77; smilacis 497; sorghi 539; sporoboli 497; trailii 140
Pucciniastrum 498; hydrangeae 497
Pucciniosira 498; anthocleistae 497; brickelliae 497; clarkiana 497
Pullularia 397, 398
Pycnidiophora dispersa 146
Pyrenophora 539; scirpi 335
Pythium 83, 761; carolianum 361–363

Ravenelia 500–505; arizonica 497; brevispora 497; brongniartiae 497; epiphylla 497; fragrans 497; hieronymi 497; lonchocarpi 497; mera 497; roemerianae 497; similis 497; simplex 503; talpa 497; thornberiana 497; versatilis 497
Rhinocladiella 145
Rhizoctonia 145, 277, 762; solani 35–58, 172, 180; zeae 682
Rhizopus 80, 397; nigricans 273, 274; sontii 591
Rhodotorula mucilaginosa var. sanguinea 260–262
Rhopalomyces elegans 183–198; f. minor 189; var. **apiculatus** 185–**186**–196; var. **crassus** 185–**186**–196; var. cucurbitarum 189; var. elegans 184–195; var. magnus 189; var. **minor 189**; magnum 189; nigripes 196
Roestelia 487
Rosellinia ligniaria 275
Russula 421, 424, 428, 431; emetica 431, 432; foetans 764; laurocerasi 429; nigricans 764
Rutstroemia 598, 601

Saccharomyces 637
Saksenaea vasiformis 145, 146
Saprolegnia 175; delica 173–180; diclina 173–180; ferax 178, 179; kauffmaniana 173–180
Sarcotrochila 782, 783; balsameae 781, 782; piniperda 781
Schizophyllum commune 85
Scleroderma 259
Sclerophthora cryophila 819–823; macrospora 821–823
Sclerospora 821; graminicola 821; sorghi 821, 822
Sclerotinia trifoliorum 94
Sclerotium 277, 398; salicis 241
Scolecobasidium constrictum 145
Scolecotrichum 398
Scopella echinulata 497
Scopulariopsis 397
Sepedonium 275
Septonema 398
Septoria 442–452; chrysanthemella 442–449; obesa 442–450
Sepultaria arenosa 183
Sirodesmium 397
Skierka cristata 497; holwayi 497
Sommerstorffia spinosa 361
Sorataea 500, 502; amiciae 497
Sordaria 97, 398; brevicollis 93; fimicola 97–102, 145; macrospora 97–101
Spadicoides obovatum 664
Speiropsis 26; **irregularis 26**, 27; pedatospora 27

Spermophthora 508
Sphaeria castagnei 323; jasmini 323
Sphaerophragmium 503
Sphaerostilbe repens 145, 148
Spegazzinia 398
Spicaria 398; divaricata 275; violacea 275
Spilocea 669
Spondylocladium obovatum 664
Sporidesmium 241, 664–668; bakeri 145; bonarii 665; folliculatum 657–660, 667; tropicale 657–660, 667
Sporobolomyces 398
Sporomega cladophila 812; degenerans 813
Sporormia 300; intermedia 307; leporina 307
Sporotrichum 275, 397, 398
Stachybotrys 398; atra 145, 276, 278
Stagonospora 398
Staphylotrichum coccosporum 221–225
Steccherinum multifidum 716; ochraceum 716
Stegopezizella 781
Stemphylium 397; botryosum 151; floridanum 152; solani 152; trifolii 152; verruculosum 276
Stereum decolorans 716; fasciatum 60–62; subpileatum 60–63
Stigmella 398
Stigmina 398, 662, 664, 669
Stilbum 145
Streptomyces 523, 524, 639; griseus 183
Strobilomyces strobilaceus 764–774
Stysanus 145
Suillus sect. **Glandulosi 356**; sect. Larigni 352–356; aeruginascens 352, 355; flavus 355; glandulosus 352–356; grevillei 352; jacuticus 354; nueschii 355; tridentinus 352, 355
Syncephalastrum 671; racemosum 591
Syncephalis 127; hyalina 127

Tegillum fimbriatum 497
Teichospora obducens 335
Tilletiopsis 398
Tetrachaetum 22, elegans 19–23, 575
Thamidium elegans 273, 274
Thelephora decolorans 714, 716; fissa 714, 718; hartmannii 715; multifida 714, 715, 725; pulvinulata 715; sparassoides 718
Thielavia terricola 275, 278; f. minor 278
Thraustochytrium 799–811; pachydermum 801; proliferum 801; **roseum 801–810**
Tilachlidium humicola 276
Tilletia 111
Titaeospora detospora 573
Torula 241, 276, 398
Trametes 458, 464; decipiens 481; rigida 458, 464; serialis 465, 479; serpens 464; subserpens 464
Tranzschelia 505; pruni-spinosae 497
Trematosphaeria britzelmayeriana 316
Tricellula 25, 27; aquatica 25, 579
Trichia **crateriformis 131**; craterioides 131
Trichoderma 397; koningi 275, 278; lignorum 275, 278; viride 145, 148
Tricholoma 259; microsporum 16
Trichosporium fuscum 276
Trichothecium 398; roseum 275
Tricladium intermedium 22
Triphragmium 493, 501; ulmariae 497
Tripospermum 18; myrti 18; cambrense 668
Triscelophorus monosporus 576

Uncinula confusa 620, 621; lynchii 620–624; necator 342–351; petersii 620, 621, 624; polychaeta 608, 619–626; shiraiana 622, 624
Uncinulopsis 619–626; polychaeta 624, 625; shiraiana 609, 616, 622–624; subspiralis 622–624
Uredinopsis 488, 498, 501; osmundae 497; pteridis 497
Uromyces 354, 493, 497–505, 637; appendiculatus 497; caladii 635; commelinae 73, 77, 78; dolichosporus 497; eragrostidis 78; euphorbiae 491, 497; fabae 497; fusisporus 497, 502; iresines 497
Uromycladium 494, 500–503; robinsonii 497; simplex 497
Uropyxis 493, 500, 505; amorphae 497
Ustilago avenae 557; bullata 549–562, 706–712; hordei 549–562, 706, 707, 711; spegazzinii var. agrestis 711; striiformis 539, 706, 711; trebouxii 706–712

Vakrabeeja 665, 666; sigmoidea 651, 653
Varicosporium 579; elodeae 571, 579
Venturia inaequalis 160
Verticillium 398; glaucum 275; lateritium 276, 278; theobromae 145, 148
Vialaea 815
Volucrispora 25, 27; aurantiaca 19, 25
Volutella 145

Wettsteinina eucarpa 316, 335; macrotheca 335

Xenodochus 493, 501; carbonarius 497
Xerocomus 354
Xylaria 145–147

Zaghouania 498; phillyreae 497
Zoophagus insidians 361; tentaculum 361
Zukalia 226; balsamicola 240
Zygosporium masonii 203, 205

MYCOLOGIA

Official Organ of the Mycological Society of America

Volume LV, 1963

Consisting of VI + 842 Pages,
Including Figures

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. January–February

The Polyporaceae of the world, Josiah L. Lowe 1
The delimitation of the genus Pseudobaeospora, Rolf Singer 13
Aquatic Hyphomycetes from North America. II. Aleuriosporae (Part 2), and Blastosporae, Ronald H. Petersen 18
Georgefischeria, a new genus of the Ustilaginales, M. J. Narasimhan, M. J. Thirumalachar, M. C. Srinivasan and H. C. Govindu 30
The ultrastructure and development of septa in hyphae of Rhizoctonia solani, Charles E. Bracker, Jr. and Edward E. Butler 35
Unidentified filtrate growth substances for several fungi, William J. Robbins and Annette Hervey 59
The pattern of mycological information, G. C. Ainsworth 65
Life cycles of southwestern rust fungi, George B. Cummins 73
SYMPOSIUM ON FUNGAL GENETICS
Patterns of sexuality in fungi, John R. Raper 79
Genetics of homothallic fungi, Lindsay S. Olive 93
Interspecific hybridization in the fungi, R. R. Nelson 104
Notes and Brief Articles 124

No. 2. March–April

Puccinia phragmitis in Canada, J. A. Parmelee 133
Further observations on soil fungi in Honduras, Roger D. Goos 142
The qualitative and quantitative relationship of monochromatic radiation to sexual and asexual reproduction of Pleospora herbarum, Charles M. Leach 151
The uptake of exogenous hormone A by certain strains of Achlya, Alma Whiffen Barksdale 164
Parasitism of Olpidiopsis incrassata on members of the Saprolegniaceae. II. Effect of pH and host nutrition, Miriam K. Slifkin 172
A study of Rhopalomyces elegans in pure culture, J. J. Ellis 183
Parasitism and nutrition of Gonatobotrys simplex, Julian W. Whaley and H. L. Barnett 199
Further studies on formation of N-formyl hydroxyaminoacetic acid by Penicillium, Eugene L. Dulaney 211
Studies on morphological forms of Staphylotrichum coccosporum, Zofia Maciejowska and E. B. Williams 221
The systematic position of some Dimeriella species and associated fungi on Pinaceae, Marie L. Farr 226

A Berberis aecidium in Lahaul Valley, western Himalayas, L. M. JOSHI AND M. M. PAYAK 247
Reviews 251

No. 3. MAY–JUNE

Calvatia, calvacin and cancer, EVERETT S. BENEKE 257
The mycoflora of a continuously cropped soil in Israel, with special reference to effects of manuring and fertilizing, A. Z. JOFFE 271
Dried mold colonies on cellophane, J. W. CARMICHAEL 283
Two new species of Mortierella from India, B. S. MEHROTRA, USHA BAIJAL, AND B. R. MEHROTRA 289
A new variety of Aspergillus nidulans, DHANWANT K. SANDHU AND R. S. SANDHU 297
Studies on a multiloculate species of Preussia, ZOFIA MACIEJOWSKA AND E. B. WILLIAMS 300
Some Himalayan Ascomycetes of the Punjab and Kashmir, L. E. WEHMEYER 309
A significant morphogenetic variant of Dictyostelium mucoroides, D. M. HUFFMAN AND L. S. OLIVE 337
The conidial stage of Uncinula necator, H. C. WELTZIEN AND C. E. YARWOOD 342
The genus Fuscoboletinus, ROLF SINGER, WALTER H. SNELL, AND ESTHER A. DICK 352
Notes and Brief Articles 358

No. 4. JULY–AUGUST

G. Aleck Ledingham (1903–1962), R. H. HASKINS 365
Observations on the periodicity in the air-borne spores of Ganoderma applanatum, T. SREERAMULU 371
Kansas aeromycology XIII: diurnal studies 1959–60, C. L. KRAMER, S. M. PADY, AND B. J. WILEY 380
Hyphal tip isolations as a criterion for heterocaryosis in Cephalosporium mycophilum, R. W. TUVESON AND D. O. COY 402
The species of Didymascella on Juniperus, MARIA E. PANTIDOU AND G. D. DARKER 415
New astrogastraceous fungi from the Pacific Northwest, ALEXANDER H. SMITH 421
Physiology and pathology of Septoria species on Chrysanthemum, HENRY T. WADDELL AND GEORGE F. WEBER 442
A synopsis of Poria and similar fungi from the tropical regions of the world, JOSIAH L. LOWE 453
Morphology of the spermogonia of the rust fungi, YASUYUKI HIRATSUKA AND GEORGE B. CUMMINS 487
Habitat and nutrition of Dipodascus and Cephaloascus, LEKH R. BATRA 508
Eradication of Histoplasma capsulatum from soil, C. W. EMMONS AND WILLARD R. PIGGOTT 521
Reviews 528
Notice 535

No. 5. SEPTEMBER–OCTOBER

James G. Dickson 1891–1962, H. C. GREENE 537
Light effects on fruiting of Physarum gyrosum, CHARLES L. FERGUS AND RICHARD D. SCHEIN 540
Induced hybridization in graminicolous smut fungi. III. Further studies of Ustilago hordei × U. bullata, JAMES A. HOFFMANN AND GEORGE W. FISCHER 549
Studies on Cephalosporium species from India—I, R. S. SUKAPURE AND M. J. THIRUMALACHAR 563
Aquatic Hyphomycetes from North America. III. Phialosporae and miscellaneous species, RONALD H. PETERSEN 5.0
A morphological and physiological study of Gilbertella in India, B. S. MEHROTRA AND M. D. MEHROTRA 582
Morphology and physiology of a new species of Lambertella on Coptis trifolia, V. P. TEWARI 595
The development of Pleochaeta polychaeta (Erysiphaceae), JAMES W. KIMBROUGH 608
Nomenclatural notes. V. Uncinula polychaeta and the genera Pleochaeta and Uncinulopsis, JAMES W. KIMBROUGH AND RICHARD P. KORF 619
The role of hormone A during sexual conjugation in Achlya ambisexualis, ALMA WHIFFEN BARKSDALE 627
Fine structure of mycota 10. Thallus formation in Puccinia podophylli aecia, ROYALL T. MOORE 633
Taxonomic criteria in Helminthosporium, E. S. LUTTRELL 643
Notes and Brief Articles 675
Reviews 685

No. 6. NOVEMBER–DECEMBER

George Dewey Ruehle, 1898–1962, GEORGE F. WEBER 699
Induced hybridization in graminicolous smut fungi. IV. Ustilago bullata × U. trehouxii, JAMES A. HOFFMANN AND GEORGE W. FISCHER 706
Studies on the type species of Hydnopolyporus, OSWALDO FIDALGO 713
Role of marine fungi in the biochemistry of the oceans. II. Effect of glucose, inorganic nitrogen, and tris(hydroxymethyl)aminomethane on growth and pH changes in synthetic media, PETER L. SGUROS AND JACQUELINE SIMMS 728
Growth factors for Polyporus schweinitzii. The identification of ferulic acid as a new cofactor, WILLIAM J. ROBBINS AND ANNETTE HERVEY ET AL. 742
Olpidium brassicae and Polymyxa graminis in roots of creeping bent in golf putting greens, M. P. BRITTON AND D. P. ROGERS 758
The tyrosinase activity of Strobilomyces strobilaceus, R. P. COLLINS, L. B. WARNER, AND L. PAIGE 764
Soil fungi from Orissa (India). II. A new species of Pseudoarachniotus, B. G. DUTTA, G. R. GHOSH, G. F. ORR, AND H. H. KUEHN 775
A new genus of the Hemiphacidiaceae, JAMES REID AND R. F. CAIN 781

Myrothecium striatisporum: its occurrence in Arkansas soil and its cellulolytic activity, KATHARINA BOLLENBACHER AND N. D. FULTON 786
A new species of Mycotypha with a zygosporic stage, R. O. NOVAK AND M. P. BACKUS 790
Studies of a new species of Thraustochytrium that displays light stimulated growth, SOLOMON GOLDSTEIN 799
A new phragmosporous genus of the Hypodermataceae, GRANT D. DARKER 812
Gametogenesis and oospore formation in Sclerophthora cryophila on Digitaria marginata, K. M. SAFEEULLA, M. J. THIRUMALACHAR, AND C. G. SHAW 819
Reviews 824
Index 831

SUSTAINING MEMBERS
OF THE MYCOLOGICAL SOCIETY OF AMERICA

The Society is extremely grateful for the support of its Sustaining Members. These organizations are listed below in alphabetical order. Patronize them and let their representatives know of our appreciation whenever possible.

ABBOTT LABORATORIES
Pharmaceutical products for the medical profession since 1888
North Chicago, Illinois

BALTIMORE BIOLOGICAL LABORATORY, INC.
A division of Becton, Dickinson and Company
Products for the microbiological laboratory

BIOFERM CORPORATION
Subsidiary of International Minerals Chemical Corporation
Wasco, California

BUCKMAN LABORATORIES, INC.
Industrial microorganism control specialists
Memphis 8, Tennessee

BUTLER COUNTY MUSHROOM FARM
West Winfield, Pennsylvania

CIBA PHARMACEUTICAL PRODUCTS, INC.
In the service of medical science
Summit, New Jersey

CONSOLIDATED LABORATORIES, INC.
COLAB and OXOID Products for the Laboratory
Chicago Heights, Illinois

DIFCO LABORATORY PRODUCTS
The complete line of
microbiological reagents and media

FISHER SCIENTIFIC COMPANY
Manufacturer-distributor of laboratory apparatus & reagent chemicals
Mycological needs of all types in stock at local branches

THE FLEISCHMANN LABORATORIES
Standard Brands Incorporated

HEINICKE INSTRUMENTS COMPANY
Foremost manufacturer of laboratory glassware washers and cage washers
Hollywood, Florida

(Continued)

SUSTAINING MEMBERS OF THE MYCOLOGICAL SOCIETY OF AMERICA

(Continued)

HOFFMANN-LA ROCHE, INC.
Pharmaceuticals, Vitamins and Aromatic Chemicals
Nutley 10, New Jersey

LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY
Antibiotic, biological and pharmaceutical research and manufacture
Pearl River, New York

ELI LILLY AND COMPANY
Pharmaceuticals, biologicals, and agricultural and industrial products
740 South Alabama Street, Indianapolis, Indiana

MILES LABORATORIES, INCORPORATED
Pharmaceutical and chemical research and manufacture
Elkhart, Indiana

NORWICH PHARMACAL COMPANY, EATON LABORATORIES DIVISION
Ethical pharmaceuticals
Norwich, New York

ORTHO PHARMACEUTICAL CORPORATION
Obstetrical and gynecological products, biologicals
Raritan, New Jersey

PARKE, DAVIS & CO.
Research Laboratories
Detroit 32, Michigan

CHAS. PFIZER AND CO., INC.
Fine chemicals and pharmaceuticals by means of microorganisms
11 Bartlett Street, Brooklyn 6, New York

REFINED SYRUPS & SUGARS, INC.
Yonkers 1, New York

SCHERING CORPORATION
Pharmaceutical manufacturers
Bloomfield, New Jersey

SCIENTIFIC PRODUCTS FOUNDATION, EVANSTON, ILLINOIS
Supported by companies dedicated to the biological sciences
(Member company names on request)

THE SQUIBB INSTITUTE FOR MEDICAL RESEARCH
E. R. Squibb and Sons, Div. of Olin Mathieson Chemical Corporation
New Brunswick, New Jersey

THE UPJOHN COMPANY
Fine pharmaceuticals since 1886
Kalamazoo, Michigan

WALLERSTEIN COMPANY
Division of Baxter Laboratories, Inc.
Research and Production of enzymes and fermentation chemicals